



SCVR-2411K

SANTEC 4-channel digital video recorder
for HD-CVI 720p/1080p, no HDD

PRODUCT DESCRIPTION

► Application:

This digital video recorder of the SCVR series is a hybrid recorder. It is able to record video signals of HD-CVI cameras at 25 fps (720p) or 12 fps (full HD). The recorder is network-capable and has manifold functions such as integrated motion detection, camera signal detection or recording by schedule. Moreover, several recorders can be managed using an administration software. The recorders can remotely be accessed by the BURG CAM App.

► Technical specifications:

Type	Digital video recorder, HD-CVI 720p / 1080p
Video inputs	4 x BNC
IP video channels (extendible)	max. 2 (if waive max. 2 BNC ch.)
Audio inputs	3.5 mm (phone jack)
Audio outputs	3.5 mm (phone jack)
Alarm inputs	No
Alarm outputs	No
HDD capacity (internal)	optional
Max. HDD capacity	500 GB
Max. number of HDDs (internal)	1 x SATA
External HDD possible	No
RS-232 interface	No
RS-422 interface	No
RS-485 interface	Yes
USB interface	USB 2.0
USB ports	2 x Back side
Ventilation	Passive

SANTEC BW AG
An der Strusbek 31, 22926 Ahrensburg, Germany
Tel.: +49 4102 4798 0, Fax: +49 4102 4798 10
info@santec-video.com, www.santec-video.com



Our products undergo constant development. Please refer to the price list for our most up-to-date product program. Errors and omissions excluded. No responsibility accepted for accuracy of images.

► **Technical specifications:**

Monitor outputs	1x VGA, 1 x HDMI
Spot monitor outputs	No
Export interface	USB/network
Control panels (external)	PC-mouse
Remote control	No
Number of Ethernet ports	1
Ethernet connector	RJ-45
Ethernet speed	10 / 100 Mbit
Ethernet standards	10Base-T/100Base-TX
Video norm	HD-CVI
Compression (video)	H.264
Compression (audio)	G.711
Max. resolution	Full HD (1920x1080)
Max. frame rate (fps)	25 fps
Motion recording	Yes
Digital input recording	No
Manual recording	Yes
Permanent recording	Yes
Schedule recording	Yes
Live picture	Yes
Play back mode	4 channel / full screen
Motion detection	Yes
Lost signal detection	Yes
Picture data export	USB / network
Counting application	No
Intelligent search	Yes
Intelligent search criteria	date/time, Exact search (accurate to second)
Password protection	Yes
Log files	Yes
Supported OS	Mac OS X **, Windows Vista, 7, 8
Management of IP devices	Yes
DynDNS support	Yes
PTZ control	No
Remote connections	Yes
User management	Yes
DHCP support	Yes
Menu languages	Multi language
Access	WEB interface / software
Supported software for remote access	P2P
BURG-WÄCHTER cloud	Yes
Transmission speed (network)	max. 100 Mbit/S.
Firmware upgrade	Network / USB
Noise emission (dB)	0

SANTEC BW AG
 An der Strusbek 31, 22926 Ahrensburg, Germany
 Tel.: +49 4102 4798 0, Fax: +49 4102 4798 10
 info@santec-video.com, www.santec-video.com



► Technical specifications:

Housing colour	White
Power consumption (watt)	10 (without HDD)
Voltage	5 V DC
Operating temperature (°C)	-10 to +55
Rel. humidity (%)	Max. 95, non-condensing
Dimensions WxHxD (mm)	195 x 35 x 130
Weight	300 g
Identifier	CE, FCC, RoHs
Items included in delivery	Power supply, Mouse

► Note:

(**Mac OS X: only with plugin available in the download section)

► Recommended Accessories

HDD-525HV	2.5" HDD, 500GB, 24/7 for video recorders
HDD-1025HV	2,5" HDD for DVR/NVR, 1TB SATA 24/7 tested